	Application No.	Applicant(s)
Notice of Allowability	09/745,464 Examiner	KATSUDA, TAKEO Art Unit
	Stephen M. Brinich	2625
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included n will be mailed in due course. THIS
1. 🛮 This communication is responsive to Remarks filed 7/17/06	<u>5</u> .	
2. The allowed claim(s) is/are <u>1-15</u> .		
3. Acknowledgment is made of a claim for foreign priority un	nder 35 U.S.C. § 119(a)-(d) or (f).	
a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. ☑ Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftspers		948) attached
1) hereto or 2) to Paper No./Mail Date		·
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 Nation of Informal D	lotant Angliantian
Notice of References Cited (P10-892) Notice of Draftperson's Patent Drawing Review (PT0-948)	5. Notice of Informal P	• •
<u> </u>	 Interview Summary Paper No./Mail Dat 	
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. Examiner's Amendr	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Stateme	ent of Reasons for Allowance
• • • • • • • • • • • • • • • • • • • •	9.	

Art Unit: 2625

DETAILED ACTION

Allowable Subject Matter

- 1. Applicant's arguments in the Response filed 7/17/06 (page
- 2, line 10 page 6, line 8, particularly page 3, line 13 page
- 4, line 4) with respect to claims 1-15 have been fully considered and are persuasive. The rejection of claims 1-15 under 35 USC §103 has been withdrawn.

Conclusion

 The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Arnold and Tsunenari at al disclose examples of communicating a password used in accessing other data.

3. Any inquiry concerning the contents of this communication or earlier communications from the examiner should be directed to Stephen M. Brinich at 571-272-7430.

Any inquiry relating to the status of this application or proceeding or any inquiry of a general nature concerning application processing should be directed to the Tech Center 2600 Customer Service center at 571-272-2600 or to the USPTO Contact Center at 800-786-9199 or 571-272-1000.

The examiner can normally be reached on weekdays 8:00-5:30, alternate Fridays off.

Application/Control Number: 09/745,464

Art Unit: 2625

The examiner's unit designation has been changed from "Art Unit 2624" to "Technology Division 2625" (as of March 20, 2006).

If attempts to contact the examiner and the Customer Service Center are unsuccessful, supervisor David Moore can be contacted at 571-272-7437.

Faxes pertaining to this application should be directed to the Tech Center 2600 official fax number, which is 571-273-8300 (as of July 15, 2005).

Hand-carried correspondence may be delivered to the Customer Service Window, located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

Stephen M Brinich Examiner Technology Division 2625

Page 3

smb smb September 21, 2006

THOMAS DE TELESTAMENTE PLANTER